



**FORM OF PROPOSAL
CUSTODIAL EQUIPMENT**

BIDDER _____

SIGNED BY _____

No: B6660

Date Issued: 12/19/12

Date Due: 1/4/13

Time Due: 9:00 a.m.

| Description | Qty | UOM | Cost / UOM | Extension | Delivery Days |
|---|------|------|------------|-----------|---------------|
| Wet/Dry Vacuum w/Air Scoop (Catalog) | 8-10 | Each | | | |
| Make: Advance | | | | | |
| Model: AWD315 | | | | | |
| Capacity: 15 gal | | | | | |
| Handle: Adjustable | | | | | |
| Cord 50 ft yellow power cord | | | | | |
| Filter: dry filter basket | | | | | |
| Hose: 10 foot crush proof hose | | | | | |
| Tools: Squeegee & hard floor tools | | | | | |
| Power: 1350 watt 2 stage motor | | | | | |
| Weight: 42 lbs | | | | | |
| With Kickdown | | | | | |
| Make Proposed: | | | | | |
| Model Proposed: | | | | | |
| State Warranty: | | | | | |
| Upright Vacuum Cleaner (Bid) | 20 | Each | | | |
| Make: Advance | | | | | |
| Model: Advance Ad Vac 12 HP | | | | | |
| 12" cleaning width with six level carpet adjustments | | | | | |
| Shake out dust bag system | | | | | |
| Chrome steel brush roll with ball bearings | | | | | |
| Wide non-marring furniture guard with large easy roll wheels and polycarbonate hood | | | | | |
| 50' 3-wire power cord | | | | | |
| UL listed | | | | | |
| Advance Ad Vac 12 HP | | | | | |
| Renown Single Motor Upright REN08025 | | | | | |
| Make Proposed: | | | | | |
| Model Proposed: | | | | | |
| State Warranty: | | | | | |



**FORM OF PROPOSAL
CUSTODIAL EQUIPMENT**

BIDDER _____

SIGNED BY _____

No: B6660

Date Issued: 12/19/12

Date Due: 1/4/13

Time Due: 9:00 a.m.

| Description | Qty | UOM | Cost / UOM | Extension | Delivery Days |
|--|-----|------|------------|-----------|---------------|
| Portable Back Pack Vacuum (Bid) | 12 | Each | | | |
| Make: Proteam 107303 | | | | | |
| Model: Super Coach Pro 10 | | | | | |
| Motor rated at 1.5 hp @ 120 cfm and 97" static left, volt, 60 Hz, 9.5 amps | | | | | |
| Construction shall keep unit weight under 12 lbs | | | | | |
| Electrical cable to be a minimum of 50 ft | | | | | |
| Filter to have minimum capacity of 10 quarts | | | | | |
| Double curve on piece 1.5" wand | | | | | |
| Noise level to be less than 70 db | | | | | |
| Units will include the standard attachment kit with a 16' carpet tool. | | | | | |
| Four Level Filtration w/HEPA | | | | | |
| Two Intercept Micro® Filters | | | | | |
| 1 1/2" static-dissipating vacuum hose | | | | | |
| Make Proposed: | | | | | |
| Model Proposed: | | | | | |
| State Warranty: | | | | | |
| Blue Recycle Waste Barrell | 100 | Each | | | |
| Make: Rubbermaid | | | | | |
| Model: Brute FG 8632 or equal | | | | | |
| Colors: Blue and Gray Professional Grade | | | | | |
| Capacity: 32 gal | | | | | |
| Handles | | | | | |
| Lid | | | | | |
| Dimension: D x H x W 10.5" x 44" x 9.5" | | | | | |
| Make Proposed: | | | | | |
| Model Proposed: | | | | | |
| State Warranty: | | | | | |



**FORM OF PROPOSAL
CUSTODIAL EQUIPMENT**

BIDDER _____

SIGNED BY _____

No: B6660

Date Issued: 12/19/12

Date Due: 1/4/13

Time Due: 9:00 a.m.

| Description | Qty | UOM | Cost / UOM | Extension | Delivery Days |
|---|------------|-------------|------------|-----------|---------------|
| Gray Waste Barrell | 36 | Each | | | |
| Make: Rubbermaid | | | | | |
| Model: Brute FG 8632 or equal | | | | | |
| Colors: Blue or Gray | | | | | |
| Professional Grade w/ Handles, Lid | | | | | |
| Capacity: 32 gal | | | | | |
| Dimension: D x H x W 10.5" x 44" x 9.5" | | | | | |
| Make Proposed: | | | | | |
| Model Proposed: | | | | | |
| State Warranty: | | | | | |
| Waste Barrel Dolly | 136 | Each | | | |
| To Fit Rubbermaid Brute FG 8632 w/ wheels | | | | | |
| Capacity: 32 gal | | | | | |
| Diameter: 18.25" | | | | | |
| Make Proposed: | | | | | |
| Model Proposed: | | | | | |
| State Warranty: | | | | | |
| Desk Mover (Catalog) | 3-5 | Each | | | |
| Make Wesco | | | | | |
| Model:272157 | | | | | |
| Locked in Raised Position Yes | | | | | |
| Coated Lift Rack Yes | | | | | |
| Lift Capacity 600 lbs | | | | | |
| Caster Size 4" | | | | | |
| Lowered Height: 6" | | | | | |
| Raised Height: 11.25" | | | | | |
| Handle Height: 41.25" | | | | | |
| Weight: 46 lbs | | | | | |
| Make Proposed: | | | | | |
| Model Proposed: | | | | | |
| State Warranty: | | | | | |



**FORM OF PROPOSAL
CUSTODIAL EQUIPMENT**

BIDDER _____

No: B6660

SIGNED BY _____

Date Issued: 12/19/12

Date Due: 1/4/13

Time Due: 9:00 a.m.

| Description | Qty | UOM | Cost / UOM | Extension | Delivery Days |
|---|-----|------|------------|-----------|---------------|
| Square Waste Baskets - 22 gal | 10 | Each | | | |
| Make: Rubbermaid | | | | | |
| Model: Untouchable Square ContainerFG356988 | | | | | |
| US Capacity: 23 gal | | | | | |
| US Dimensions: 16.5"l x 15.5"w x 30.9" h | | | | | |
| Make Proposed: | | | | | |
| Model Proposed: | | | | | |
| State Warranty: | | | | | |
| Floor Dryers | 4 | Each | | | |
| Make: Nilfisk Advance | | | | | |
| Model: Hydro Dry | | | | | |
| Motor: 5 hp, 3 speed, single phase, 115 V, 50-60 HZ | | | | | |
| Fan: Painted Steel, 10.5 inch | | | | | |
| Fan Speed: 2500cfm @ 1150 rpm | | | | | |
| 2000 cfm @ 900 rpm | | | | | |
| 1600 cfm @ 750 rpm | | | | | |
| Housing: Rotocast Polyethelene | | | | | |
| On/Off Switch: 4 position, 3 pole, rotary | | | | | |
| Power Cord: 25 Ft with 3 prong plug | | | | | |
| Make Proposed: | | | | | |
| Model Proposed: | | | | | |
| State Warranty: | | | | | |
| Onboard Scrubber | 6 | Each | | | |
| Make/Model: Windsor Chariot iScrub 20 | | | | | |
| Cleaning Rate: 18,000 ft2/hr | | | | | |
| Cleaning Path: 20" | | | | | |
| Brush Speed: 180 rpm | | | | | |
| Brush Motor: .33 hp | | | | | |



**FORM OF PROPOSAL
CUSTODIAL EQUIPMENT**

BIDDER _____

SIGNED BY _____

No: B6660

Date Issued: 12/19/12

Date Due: 1/4/13

Time Due: 9:00 a.m.

| Description | Qty | UOM | Cost / UOM | Extension | Delivery Days |
|---|----------|-------------|------------|-----------|---------------|
| Brush/Pad pressure: 50 lbs | | | | | |
| Solution/Recovery Capacity: 10 gal | | | | | |
| Drive System: Gear Motor with Chain Drive | | | | | |
| Transport/Operating Speed: 1.8/2.7 mph | | | | | |
| Noise Level: 54 dba (transport) 66.9 dba (operation) | | | | | |
| Wheels: Urathane, 6" (rear)/8" (front) | | | | | |
| Solution Control: Gravity | | | | | |
| Flow Rate: .33gpm | | | | | |
| Vacuum Motor: 2 stage, .63 hp | | | | | |
| Cleaning Function Control: Automatic Pre-set Function Dial | | | | | |
| Electrical System: 36V.3 x 12 V 130 AH 36V 3 x 12 V 114 A/H AGM | | | | | |
| Battery charger: Optional On-Board, 15A, Water-Proof, charges Wet or AFM | | | | | |
| Brake: Electric Parking Brake | | | | | |
| Squeegee: Center Pivot, Wrap Around, No Adjustment | | | | | |
| Warranty: 10 yr housing, 3 yr part & labor | | | | | |
| Make Proposed: | | | | | |
| Model Proposed: | | | | | |
| State Warranty: | | | | | |
| Carpet Extractor | 6 | Each | | | |
| Make: Windsor | | | | | |
| Model: Clipper Duo | | | | | |
| Size: (H x W x D) 49 x 21.5 x 30.25 | | | | | |
| Path: 16" | | | | | |
| Weight: 940 lbs with Batteries, 166 lb with Power Cord | | | | | |
| Cleaning Rate: Interim 10560 sqft/hr at 1.5 mph, Restorative: 3520 sqft/hr at 0.5 mph | | | | | |
| Sound Level: 73 dba | | | | | |
| Cord: 50 ft detachable | | | | | |



**FORM OF PROPOSAL
CUSTODIAL EQUIPMENT**

BIDDER _____

SIGNED BY _____

No: B6660

Date Issued: 12/19/12

Date Due: 1/4/13

Time Due: 9:00 a.m.

| Description | Qty | UOM | Cost / UOM | Extension | Delivery Days |
|--|----------|-------------|------------|-----------|---------------|
| Brush Motor: 0.5 hp AC with circuit Breaker Protection | | | | | |
| Brushes: 2 x 16" ABS Core Perform Alert Bristle Spiral Pattern | | | | | |
| Vacuum Shoe: 18" wide, cast aluminum | | | | | |
| Chemical Tank Size: 10 gal | | | | | |
| Recovery Tank size: 10 gal | | | | | |
| Solution Pump: Interim Cleaning 50 psi,(3.5 bar), Restorative Cleaning 100 psi (7 bar) | | | | | |
| Solution Spray: One Interim quick-disconnect jet, One Restorative quick-disconnect jet | | | | | |
| Construction: Steel Chassis, Rotationally-Molded Polyethylene Tanks | | | | | |
| Wheels: 10" non marking rubber | | | | | |
| Warranty: 10 yr housing 3 yr parts & labor | | | | | |
| Make Proposed: | | | | | |
| Model Proposed: | | | | | |
| State Warranty: | | | | | |
| Mini Extractor / Spotter | 6 | Each | | | |
| Make: Windsor | | | | | |
| Model: Presto | | | | | |
| Tank Size: 2 gal | | | | | |
| Pump: 53 psi (3.79 bar) | | | | | |
| Vac Motor: 2 Stage, 1.16 hp (870 watts), 85" (216 cm) waterlift, 100 cfm | | | | | |
| Hose: 8' x 1" (2.5 m x 2.5 cm) standard coupling | | | | | |
| Cable: 25' (7.6 m) 18/3 | | | | | |
| Weight: 18 lbs. (7.5 kg) | | | | | |
| Dimensions (LxWxH): 19" x 10" x 16.5"(48 cm x 25.4 cm x 43 cm) | | | | | |
| Cart: (PCT) – Powder coated, steel cart with chemical storage rack, | | | | | |



**FORM OF PROPOSAL
CUSTODIAL EQUIPMENT**

BIDDER _____

SIGNED BY _____

No: B6660

Date Issued: 12/19/12

Date Due: 1/4/13

Time Due: 9:00 a.m.

| Description | Qty | UOM | Cost / UOM | Extension | Delivery Days |
|--|------------|-------------|------------|-----------|---------------|
| Wheels: two 8" (20 cm) wheels and one 2.5" (6.35 cm) caster | | | | | |
| Mini Cart: (PMCT) – Mini Cart, steel, powder coated dolly with | | | | | |
| Mini Cart Wheels: two 8" (20 cm) wheels | | | | | |
| Make Proposed: | | | | | |
| Model Proposed: | | | | | |
| State Warranty: | | | | | |
| Propane Burnisher | 2-5 | Each | | | |
| Make: Advance | | | | | |
| Model: PBU 27" | | | | | |
| 27" Pad | | | | | |
| 1800 or higher RPM | | | | | |
| 603cc Kawasaki V-Twin engine | | | | | |
| 20lb propane tank | | | | | |
| Automatic fuel shutoff | | | | | |
| Low Oil shutdown | | | | | |
| minimum of 33,000 feet per hour | | | | | |
| 59Lx 29.3W x 43H | | | | | |
| Warranty - 2 yrs parts & labor | | | | | |
| Make Proposed: | | | | | |
| Model Proposed: | | | | | |
| State Warranty: | | | | | |